
WHO WE ARE?

COMBINING THE DIVERSE STRENGTHS OF GROUP OF COMPANIES TO CREATE NEW VALUES.

Places top priority to the principle of making lives better to ensure that the products we manufacture consistently delight people. We also strive to create new horizons by continue improving our manufacturing capabilities and management resources within the onecera With deep understanding of current architectural demands, technology and strong expertise in tiles business,

We implement high-end machineries to create the best slabs in the market, with the highly advanced features like Non-absorbent, Resistant to liquids and acids, Resistant to thermal shock, Non- toxic slabs that do not release micro-particles and many more...



O'NE CERA

WHY LUXETOUCH?

THE DURABILITY OF THUNDERTOUCH SLABS

Our LuxeTouch Collection inherits the expressive power of concrete, a material that wrote important pages in the history of architecture and plays a fundamental role in contemporary design by virtue of the capability to radiate strong tactile energy to every context surrounding it. Feel the supremacy in detail, foremost texture and its Matte finish is all set to blow your mind by giving the robust feel in your surrounding. Manifest the Magnificence with the hues of glory inbuilt by our surfaces. Our surfaces are truly crafted to deliver an unmatched experience.


SURFACE



FEELING


NATURAL MARBLE FEEL

ECO FRIENDLY MATERIAL



CHOOSE YOUR SURFACE **60X** 120CM

ONE CERA



PRODUCT APPLICATION

II RESTAURANT & SHOPS

🛱 RESIDENTIAL 📇 GARDEN & POOL





汐 MALL

□ OFFICE



m PUBLIC SPACES A TRAIN STATIONS



Defining excellence as we see it has become a natural process over the years. Our innovation are always in sight and the quality of our products around the globe proudly bear witness to our market leadership. We believe in the power of innovation, defines the uniqueness of onecera. The perfect epitome of our Innovation known as Thundertouch. The future of tiles is here with the diligent & aesthetic approach. Our superiorly designed surface deliver high performance with their durability which neither cracks nor scratch easily, Eternity is beauty without its excessive maintenance and lack of portability

FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM









BERLINGTON BIANCO

FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM









BERLINGTON CREMA

FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM









BERLINGTON GREY

FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM









BERLINGTON MOCHA

FINISH: SMOOTH MATT

THICKNESS:


















FACES RANDOM









BERLINGTON NERO

FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:



















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:



















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:





















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:



















FACES RANDOM





FINISH: SMOOTH MATT

THICKNESS:


















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:




















FACES RANDOM











FINISH : SMOOTH MATT

THICKNESS:

















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:



















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:



















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:



















FACES RANDOM









FLAKES DARK GREY

FINISH: SMOOTH MATT

THICKNESS:



















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:



















FACES RANDOM









FLAKES VERDE

FINISH: SMOOTH MATT

THICKNESS:





















FACES RANDOM









PEARL WHITE

FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:


















FACES RANDOM









► RUBY WHITE

FINISH: SMOOTH MATT

THICKNESS:



















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:


















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:


















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:



















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM









✓ SANDSTONE MOCHA

FINISH: SMOOTH MATT

THICKNESS:


















FACES RANDOM









✓ SANDSTONE NERO

FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM









✓ SISILIA CREMA

FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:

















FACES RANDOM









STONE BEIGE

FINISH: SMOOTH MATT

THICKNESS:


















FACES RANDOM











FINISH: SMOOTH MATT

THICKNESS:

















TECHNICAL SPECIFICATION GSVT

TEST DISCRIPTION	STANDARD AS PER IOS-13006/EN177 GROUP BIB	MEAN VALUE OF GSVT
Deviation in length & width	±0.6%	±0.3%
Deviation in thickness	±5.0%	±4.0%
Straightness in side	±0.5%	±0.1%
Rectangularity	±0.5%	±0.1%
Surface flatness	±0.5%	±0.2%
Color difference	Unaltered	No damage
Glossiness	As per mfg.	As per square
Water absorption	≤3%	≤3%
Modulus of rupture	Min. 35 N/mm²	Min. 35 N/mm²
Impact resistance	As per mfg.	Min. 0.55 Porcelain
Surface abrasion resistance	As per mfg.	PEI II-V
MOH's hardness	As per mfg.	Min.7
Frost resistance	No damage	No damage
Thermal shock resistance	No damage	No damage
Moisture expansion	Nil	Nil
Chemical resistance	No damage	No damage
Stain resistance	Resistant	Resistant
Crazing resistance	As per mfg.	2 Cycle

PACKING DETAIL

Size	600x1200mm	
Thickness (approx.)	9.0 mm	
Pieces / Box	2 pcs.	
Area / Box	1.44 sq. mtr.	
Wt. / Box (approx.)	27 kgs.	

- www.onecera.in
- 1211, The Spire 2, 150 Feet Ring Road, Nr. Sheetal Park, Rajkot-360005