


ONE CERA

600X600MM
GVT/PGVT




600X600MM
GVT/PGVT

2.0
Glossy
Shine Your Brightest

ABOUT SURFACE

Glossy Surface Surface with bright and shiny finish. Their surface give bounce light all around the space. Glossy floor tiles and wall tiles are excellent option for creating more lighting and glazing for each space.

This surface is smooth nature of the tiles makes it very easy to clean them with just one swipe using a damp mop. Due to their ability to resist stains and scratches glossy tiles are a great choice for bathroom and kitchen walls and backsplashes. these tiles also come in a wide range of colors, and designs that one can choose from.



CONSISTENT
COLORS AND
VEINING

MAINTAINS
ITS BEAUTY
OVER TIME

RESISTANT TO
ACIDS AND
DETERGENTS

WEAR
RESISTANT TO
FOOT TRAFFIC

HIGHLY
DURABLE
BODY

EASY TO
INSTALL
AND DRILL



We provide comfort, beauty, and mode.

Let the level speak about your class.



APPLICATIONS



RESIDENTIAL
CORPORATE OFFICES
PUBLIC PLACES
HOTELS & RESTAURANTS
MALLS & SHOPS
SHOWROOMS
HEAVY TRAFFIC AREA

The application of marble-inspired GVT is extensive due to the premium quality it encompasses. The tiles can be installed in many spaces including residential spaces, public spaces, showrooms, heavy traffic areas, and a lot more.

SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2501



SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2502








SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2503



SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2504



SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2505



SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2506





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2507





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2508




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2509



SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2510





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2511





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2512



SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2513








SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2514





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2515




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2516





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2517





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2518




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2519




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2520




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2521





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2522





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2523




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2524






SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2525







SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2526




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2527





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2528




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2529








SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2530





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2531



SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2532





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2533




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2534





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2535





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2536



SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2537



SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2538





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2539




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2540





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2541





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2542





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2543




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2544



SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2545




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2546





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2547




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2548








SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2549



SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2550





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2551





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2552




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2553




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2554





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2555





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2556








SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2557








SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2558








SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2559





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2560








SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2561





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2562





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2563





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2564





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2565





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2566





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2567





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2568





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2569




SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2570





SIZE
600X
600MM

FINISH
GLOSSY

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

2571



Quality Standards

Standards according to ISO 13006:Annex G-EN 14411: Annex G. Dry - Pressed Ceramic Tiles. Group Bia (Eb < 0.5%)

Technical Feature	Test Method	Requirements		Segam Values	
		%	mm	%	mm

A. Dimensions and Surface Quality

Length and Width	UNI EN ISO 10545-2	± 0.6%	± 2.0	± 0.20%	± 1.0
Thickness		± 5.0%	± 0.5	± 4.00%	± 0.4
Straightness of Sides		± 0.5%	± 1.5	± 0.20%	± 1.0
Rectangularity		± 0.5%	± 2.0	± 0.20%	± 1.2
Surface Flatness a) Centre curvature b) Edge curvature c) Warpage		± 0.5% ± 0.5% ± 0.5%	± 2.0 ± 2.0 ± 2.0	± 0.10% ± 0.10% ± 0.10%	± 0.5 ± 0.5 ± 0.5
Surface Quality		A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles.		Compliant	

B. Physical Properties

Water Absorption	UNI EN ISO 10545-3	Eb 0.5% Individual maximum : 0.6% (absorbed water mass)	Eb 0.1% (absorbed water mass)
Breaking Strength	UNI EN ISO 10545-4	Min. 1300 N	1700 N
Modulus of Rupture		Average minimum 35 N/mm Individual minimum 32 N/mm	37 N/MM
Frost Resistance	UNI EN ISO 10545-12	Required	Compliant
Coefficient of Linear Thermal Expansion From Ambient Temperature to 100c	UNI EN ISO 10545-8	Required	6x10 k max
Scratch Hardness (Mohs Scale)	EN 101	Declared by the manufacturer	3 to 6 Depends on Finish & color
Crazing Resistance	UNI EN ISO 10545-11	Declared by the manufacturer	4 Cycle Pass

C. Chemical Properties

Resistance to Staining	UNI EN ISO 10545-14	Minimum Class 3	5
Resistance to Household Chemicals and Swimming Pool Salts	UNI EN ISO 10545-13	Minimum GB	GA
Resistance to Low Concentrations of Acids and Alkalis		To be reported	GLA
Resistance to High Concentrations of Acids and Alkalis		To be reported	GHA

Note: Colours shown are as accurate as the limitations of the printing results on paper are possible prospective customers are advised to inspect a sample of the tile before placing the order. Ever effort has been taken to ensure the accuracy of the information given. However, the company reserves its right to change /alter the specifications without any prior notice. Sometime shade variation or size variation may occur, as this is inherent property of ceramic tile industry. Before fixing the tiles, all are advised to follow the laying instructions printed on the corrugated box of the tile. Company does not take/carry any responsibility of what so ever nature once tiles are laid.

ONE CERA

☎ +91 - 90230 44949 ✉ info@onecera.in 🌐 www.onecera.in

📍 1211, The Spire 2, 150 Feet Ring Road, Nr. Sheetal Park, Rajkot-360005

Thank You