


ONE CERA

600X600MM
GVT/PGVT




600X600MM
GVT/PGVT

2.0
Glossy
Shine Your Brightest

ABOUT SURFACE

Glossy Surface Surface with bright and shiny finish. Their surface give bounce light all around the space. Glossy floor tiles and wall tiles are excellent option for creating more lighting and glazing for each space.

This surface is smooth nature of the tiles makes it very easy to clean them with just one swipe using a damp mop. Due to their ability to resist stains and scratches glossy tiles are a great choice for bathroom and kitchen walls and backsplashes. these tiles also come in a wide range of colors, and designs that one can choose from.



CONSISTENT
COLORS AND
VEINING

MAINTAINS
ITS BEAUTY
OVER TIME

RESISTANT TO
ACIDS AND
DETERGENTS

WEAR
RESISTANT TO
FOOT TRAFFIC

HIGHLY
DURABLE
BODY

EASY TO
INSTALL
AND DRILL




We provide comfort, beauty, and mode.

Let the level speak about your class.



APPLICATIONS



RESIDENTIAL
CORPORATE OFFICES
PUBLIC PLACES
HOTELS & RESTAURANTS
MALLS & SHOPS
SHOWROOMS
HEAVY TRAFFIC AREA

The application of marble-inspired GVT is extensive due to the premium quality it encompasses. The tiles can be installed in many spaces including residential spaces, public spaces, showrooms, heavy traffic areas, and a lot more.

SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7001




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7002




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7003




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7004




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7005



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7006




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7007



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7008




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7009




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7010



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7011




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7012




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7013




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7014




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7015





SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7016



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7017




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7018





SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7019




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7020





SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7021



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7022




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7023





SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7024



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7025



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7026





SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7027



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7028




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7029



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7030



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7031




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7032





SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7033




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7034





SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7035





SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7036




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7037




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7038





SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7039




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7040




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7041



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7042






SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7043



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7044



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7045




SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7046





SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7047



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7048



SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7049





SIZE
600X
600MM

FINISH
GLOSSY
FINISH

RANDOM
01

GVT	PIECES/BOX	AREA/BOX
600X600	4 PCS	1.44. sq.mtr

7050



Quality Standards

Standards according to ISO 13006:Annex G-EN 14411: Annex G. Dry - Pressed Ceramic Tiles. Group Bia (Eb < 0.5%)

Technical Feature	Test Method	Requirements		Values	
		%	mm	%	mm

A. Dimensions and Surface Quality

Length and Width	UNI EN ISO 10545-2	± 0.6%	± 2.0	± 0.20%	± 1.0
Thickness		± 5.0%	± 0.5	± 4.00%	± 0.4
Straightness of Sides		± 0.5%	± 1.5	± 0.20%	± 1.0
Rectangularity		± 0.5%	± 2.0	± 0.20%	± 1.2
Surface Flatness a) Centre curvature b) Edge curvature c) Warpage		± 0.5% ± 0.5% ± 0.5%	± 2.0 ± 2.0 ± 2.0	± 0.10% ± 0.10% ± 0.10%	± 0.5 ± 0.5 ± 0.5
Surface Quality		A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles.		Compliant	

B. Physical Properties

Water Absorption	UNI EN ISO 10545-3	Eb 0.5% Individual maximum : 0.6% (absorbed water mass)	Eb 0.1% (absorbed water mass)
Breaking Strength	UNI EN ISO 10545-4	Min. 1300 N	1700 N
Modulus of Rupture		Average minimum 35 N/mm Individual minimum 32 N/mm	37 N/MM
Frost Resistance	UNI EN ISO 10545-12	Required	Compliant
Coefficient of Linear Thermal Expansion From Ambient Temperature to 100c	UNI EN ISO 10545-8	Required	6x10 k max
Scratch Hardness (Mohs Scale)	EN 101	Declared by the manufacturer	3 to 6 Depends on Finish & color
Crazing Resistance	UNI EN ISO 10545-11	Declared by the manufacturer	4 Cycle Pass

C. Chemical Properties

Resistance to Staining	UNI EN ISO 10545-14	Minimum Class 3	5
Resistance to Household Chemicals and Swimming Pool Salts	UNI EN ISO 10545-13	Minimum GB	GA
Resistance to Low Concentrations of Acids and Alkalis		To be reported	GLA
Resistance to High Concentrations of Acids and Alkalis		To be reported	GHA

Note: Colours shown are as accurate as the limitations of the printing results on paper are possible prospective customers are advised to inspect a sample of the tile before placing the order. Ever effort has been taken to ensure the accuracy of the information given. However, the company reserves its right to change /alter the specifications without any prior notice. Sometime shade variation or size variation may occur, as this is inherent property of ceramic tile industry. Before fixing the tiles, all are advised to follow the laying instructions printed on the corrugated box of the tile. Company does not take/carry any responsibility of what so ever nature once tiles are laid.

ONE CERA

☎ +91 - 90230 44949 ✉ info@onecera.in 🌐 www.onecera.in

📍 1211, The Spire 2, 150 Feet Ring Road, Nr. Sheetal Park, Rajkot-360005

Thank You